

**LITERATURE CITED**

64 FR 14308. Endangered and Threatened Species; Threatened Status for Three Chinook Salmon Evolutionarily Significant Units (ESUs) in Washington and Oregon, and Endangered Status for One Chinook Salmon ESU in Washington. Final Rule. March 24, 1999. Federal Register 64(56): 14308-14328.

64 FR 58910. Endangered and Threatened Wildlife and Plants; Determination of Threatened Status for Bull Trout in the Coterminous United States. Final Rule. November 1, 1999. Federal Register 64(210): 58910-58933.

65 FR 7764. Designated Critical Habitat: Critical Habitat for 19 Evolutionarily Significant Units of Salmon and Steelhead in Washington, Oregon, Idaho, and California, Final Rule. Final Rule. February 16, 2000. Federal Register 65(32): 7764-7787.

65 FR 42422. Endangered and Threatened Species; Final Rule Governing Take of 14 Threatened Salmon and Steelhead Evolutionarily Significant Units (ESUs). Final Rule. July 10, 2000. Federal Register 65(132): 42422-42481.

Abbe, T. B. 1999. Engineered Log Jam Habitat Enhancement Report: Site Conditions, Geomorphic Analysis, Project Objectives, and Design Proposal. Prepared for Lummi Indian Business Council. Seattle, WA. 37 pp.

Aitkin, J.K. 1998. The importance of estuarine habitats to anadromous salmonids of the Pacific Northwest: A literature review. USFWS Aquatic Resources Division, Lacey, WA. 25 pp.

Allen, M.A., and T.J. Hassler. 1986. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Pacific southwest) – Chinook salmon. U.S. Fish and Wildlife Service Biological Report 82(11.49). U.S. Army Corps of Engineers, TR El-82-4. 26 pp.

Anchor Environmental, L.L.C. 2002. Letter dated July 29, 2002 to Jim Muck (USFWS) submitting bull trout tissue samples from Middle Fork Nooksack River. Seattle, WA.

Anchor Environmental, L.L.C. 2003. Fish periodicity in WRIA 1. January 2003 draft. Prepared for: City of Bellingham, Public Works Department. Seattle, WA.

Averill, D., D. Myers, and S. Redman. 2004. Proposed working hypotheses for a regional nearshore salmon recovery plan. Memorandum to Nearshore Policy Group. May 7, 2004. Puget Sound Action Team.

- Barclay, M. 1980. 1980 Radio-Tagging Study of Nooksack Spring Chinook. Nooksack and Lummi Tribal Fisheries Departments. Deming, WA. 35pp.
- Barclay, M. 1981. Second Year Radio-Tagging Study and First Year Mark and Recovery Study of Nooksack Spring Chinook. Nooksack and Lummi Tribal Fisheries Departments. Deming, WA. 29pp.
- Barclay, M. 1989. Trip report. Middle Fork gorge float survey. Sept. 7, 1989, conducted in association with proposed Heislars Creek Hydro project. Cascade Environmental Services. Bellingham, WA.
- Bash, J., C. Berman, and S. Bolton. 2001. Effects of turbidity and suspended solids on salmonids. November 2001. Center for Streamside Studies, University of Washington. Seattle, WA.
- Baxter, J.S., E.B. Taylor, R.H. Devlin, J. Hagen and J.D. McPhail. 1997. Evidence for natural hybridization between Dolly Varden (*Salvelinus malma*) and bull trout (*S. confluentus*) in a northcentral British Columbia watershed. *Canadian Journal of Fisheries and Aquatic Sciences* 54:421-429.
- Beamer, E., and R. Henderson. 1998. Juvenile salmonid use of natural and hydromodified stream bank habitat in the mainstem Skagit River, Northwest Washington. Skagit System Cooperative, La Conner, Washington. 51 pages.
- Beechie, T.J., E.A. Steel, P. Roni, and E. Quimby (editors). 2003. Ecosystem recovery planning for listed salmon: an integrated assessment approach for salmon habitat. U.S. Department of Commerce, NOAA Technical Memorandum NMFS-NWFSC-58. 183 p.  
<http://www.nwfsc.noaa.gov/publications/techmemos/tm58/tm58.pdf>
- Bishop S., and A. Morgan, (eds). 1996. Critical habitat issues by basin for natural chinook stocks in the coastal and Puget Sound areas of Washington State. Northwest Indian Fisheries Commission, Olympia, WA. 105 pp.
- Bjornn, T.C. 1971. Trout and salmon movements in two Idaho streams as related to temperature, food, stream flow, cover, and population density. *Transactions of the American Fisheries Society* 100(3): 423-438.
- Bjornn, T.C. and D.W. Reiser. 1991. Habitat requirements of salmonids in streams. Pages 83-138 in W. R. Meehan, (ed.). Influences of Forest and Rangeland Management on Salmonid Fishes and their Habitats. Special Publication 19. American Fisheries Society, Bethesda, MD.

Blakley, A., B. Leland, J. Ames, editors. 2000. 2000 Washington State Salmonid Stock Inventory (SASI): Coastal Cutthroat Trout. Washington Department of Fish and Wildlife, Olympia, WA. 265pp. <http://www.wa.gov/wdfw/fish/sassi/cutthroat.pdf>

Blair, G. 2001. Puget Sound PFC Rules. May 2001 Memorandum. Mobrand Biometrics, Vashon, WA.

Bond, C.E. 1992. Notes on the nomenclature and distribution of the bull trout and the effects of human activity on the species. Pages 1-4 *In* P.J. Howell and D.V. Buchanan, editors. Proceedings of the Gearhart Mountain bull trout workshop. Oregon Chapter of the American Fisheries Society, Corvallis, Oregon.

Bortleson, G.C., M.J. Chrzastowski, and A.K. Helgerson. 1980. Historical changes of shoreline and wetland at eleven major deltas in the Puget Sound region, Washington. Hydrological Investigations Atlas HA-617. U.S. Geological Survey, Denver, CO.

Bowling, L.C. and D.P. Lettenmaier. 2001. The effects of forest roads and harvest on watershed hydrology in a mountainous maritime environment. Pages 145-164 *in* M.S. Wigmosta and S.J. Burges (eds). Land Use and Watersheds: Human Influence on Hydrology and Geomorphology in Urban and Forest Areas.

Brett, J.R. 1952. Temperature tolerances in young Pacific salmon, genus *Oncorhynchus*. *Journal of the Fisheries Research Board of Canada*. 9(6): 265-323.

Brown, M., M. Maudlin, and J. Hansen. 2005. Nooksack River Estuary Habitat Assessment. Report for Salmon Recovery Funding Board, IAC#01-1340N. April 30, 2005. Lummi Nation, Natural Resources Department. Bellingham, WA.

Busack, C.A. and K.P. Currens. 1995. Genetic risks and hazards in hatchery operations: fundamental concepts and issues. *American Fisheries Society Symp.* 15:71-80.

Castle, P., and D. Huddle. 1994. South Fork Nooksack River Spring Chinook Fry Capture Study and 1994 Habitat Reconnaissance. Internal Report. Washington Department of Fish and Wildlife, La Conner, WA.

Castle, P., and D. Huddle. 1995. 1995 Spring Chinook Fry Surveys in the Nooksack River Basin. Internal Report. Washington Department of Fish and Wildlife, La Conner, WA.

Castle, P., and D. Huddle. 1996a. 1996 South Fork Nooksack Spring Chinook Fry Survey. Internal Report. Department of Fish and Wildlife, La Conner, WA.

Castle, P., and D. Huddle. 1996b. Recent WDFW field activities related to wild juvenile spring chinook in the Nooksack. Internal Report. Washington Department of Fish and Wildlife, La Conner, WA.

Cavender, T.M. 1978. Taxonomy and distribution of the bull trout, (*Salvelinus confluentus*) (Suckley), from the American Northwest. *California Fish and Game* 64(3):139-174.

Cederholm, C.J., L.M. Reid, and E.O. Salo. 1981. Cumulative effects of logging road sediment on salmonid populations in the Clearwater River, Jefferson County, Washington. Pages 38-74 *in* Proceedings, Conference on Salmon Spawning Gravel: a Renewable Resource in the Pacific Northwest? Water Research Center Report 39. Washington State University, Pullman, WA.

Coe, T. 2001. Nooksack River Watershed Riparian Function Assessment. Report #2001-001. October 2001. Nooksack Indian Tribe, Natural Resources Department, Deming, WA.

Coe, T. 2003. Internal Memorandum to N. Currence on Feb. 13, 2003, snorkel survey of mainstem and lower Anderson Creek. Feb. 19, 2003. Nooksack Indian Tribe, Natural Resources Department. Deming, WA.

Coe, T. 2005. Nooksack Chinook Rearing Habitat Assessment. IAC #00-1796N Final Report to Salmon Recovery Funding Board. February 8, 2005. Nooksack Indian Tribe, Natural Resources Department, Deming, WA.

Collins, B. D. and D. R. Montgomery. 2002. Forest development, wood jams and restoration of floodplain rivers in the Puget Lowland. *Restoration Ecology* 10(2): 237-247.

Collins, B.D., and A.J. Sheikh. 2004a. Historical channel locations of the Nooksack River. Report to Whatcom County, Public Works Department. May 27, 2004, review draft. Department of Earth & Space Sciences, University of Washington. Seattle, WA.

Collins, B.D., and A.J. Sheikh. 2004b. Historical riverine dynamics and habitats of the Nooksack River. Final Project Report to the Nooksack Indian Tribe, Natural Resources Department. August 2004. Department of Earth & Space Sciences, University of Washington. Seattle, WA.

Conrad, R.H., and M.T. MacKay. 2000. Use of a Rotary Screwtrap to Monitor the Outmigration of Chinook Salmon Smolts from the Nooksack River: 1994-1998. May 2000. Northwest Fishery Resource Bulletin, Project Report Series No. 10. Northwest Indian Fisheries Commission, Olympia, WA. 120pp.

- Crane, P.A., L.W. Seeb, and J.E. Seeb. 1994. Genetic relationships among *Salvelinus* species inferred from allozyme data. *Canadian Journal of Fisheries and Aquatic Sciences* 51(Suppl. 1):182-197.
- Crown Pacific LP (Limited Partnership). 1999. Acme Watershed Analysis. May 1999. Prepared for Department of Natural Resources, Forest Practices Division, Olympia, WA.
- CTC (Chinook Technical Committee). 2003. Annual Exploitation Rate Analysis and Model Calibration (Tchinook (03)-2. Pacific Salmon Commission. Vancouver, B. C., Canada.
- Currence, N. 2000. Middle Fork Nooksack anadromous salmonid potential upstream of the diversion dam. Nooksack Indian Tribe, Natural Resources Department, Deming, WA. 9 pp.
- del Corral, M. 2001. Affidavit dated Dec. 21, 2001 describing observation of one of two fish successfully swimming over diversion dam. City of Bellingham. Bellingham, WA.
- Dewberry, C. 2003. Snorkel survey of the Acme-to-Saxon Bridge section of the South Fork Nooksack River. October 10, 2003. Prepared for: Lummi Nation, Bellingham, WA. 27pp.
- DNR (Department of Natural Resources). 1994. Skookum Creek watershed analysis. Department of Natural Resources, Olympia, WA.
- DNR (Department of Natural Resources). 1995. Warnick Watershed Analysis. Initiated by DePaul, Inc., and Trillium Corporation. Department of Natural Resources, Olympia, WA.
- DNR (Department of Natural Resources). 1996. Whatcom County Intertidal Habitat Inventory 1995 (GIS dataset). Department of Natural Resources, Nearshore Habitat Program, Olympia, WA. <http://www2.wadnr.gov/nearshore/data/index.asp>
- DNR (Department of Natural Resources). 1997a. Lake Whatcom watershed analysis. Department of Natural Resources, Northwest Region, Sedro Woolley, WA.
- DNR (Department of Natural Resources). 1997b. Final Habitat Conservation Plan. September 1997. Department of Natural Resources, Olympia, WA. <http://www.dnr.wa.gov/hcp/index.html>
- DNR (Department of Natural Resources). 1998. Hutchinson Creek watershed analysis. Department of Natural Resources, Northwest Region, Sedro Woolley, WA.

DNR (Department of Natural Resources). 2001. The Washington State Shorezone Inventory. Department of Natural Resources, Nearshore Habitat Program, Olympia, WA. <http://www2.wadnr.gov/nearshore/data/>

DOE (Department of Ecology). 1995. State of the Nooksack River watershed. Department of Ecology Nooksack Initiative Office, Bellingham, Washington.

DOE (Department of Ecology). 1998. Final 1998 Section 303(d) List - WRIA 1. Washington Department of Ecology, Water Quality Program, Olympia, WA. <http://www.ecy.wa.gov/programs/wq/303d/1998/wrias/wria1.pdf>.

Doughty, K. (editor). 1987. Nooksack River spring chinook technical report. Nooksack Tribe, Lummi Tribe, WDFW, and USFWS. Deming, WA.

Doyle, J., S. Zyskowski, J. Riedel, and R. Glesne. 2000. Chilliwack River monitoring 1998-1999 progress report. North Cascades National Park. Sedro-Woolley, WA.

Edwards, R.T. 1998. The hyporheic zone. Pages 399-429 *in* R.J. Naiman and R.E. Bilby, editors. *River Ecology and Management: Lessons from the Pacific Coastal Ecoregion*. Springer-Verlag, New York, NY.

Fausch, K.D. 1984. Profitable stream positions for salmonids: relating specific growth rate to net energy gain. *Canadian Journal of Zoology* 62(3): 441-451.

FERC (Federal Energy Regulatory Commission). 1997. Final environmental impact statement, six proposed hydroelectric projects in the Nooksack River basin, Washington. September 1997. FERC/EIS-0069F. Office of Hydropower Licensing. Washington D.C.

FERC (Federal Energy Regulatory Commission). 2002. Final environmental impact statement, Warm Creek and Clearwater Creek Hydroelectric Projects, Washington. FERC/EIS - 120F. Office of Hydropower Licensing. Washington, DC.

Fetherston, K.L., R.J. Naiman, and R.E. Bilby. 1995. Large woody debris, physical process, and riparian forest development in montane river networks of the Pacific Northwest. *Geomorphology* 13(1-4): 133-144.

Flagg, T.A, B.A. Berejikian, J.E. Colt, W.W. Dickoff, L.W. Harrell, D.J. Maynard, C.E. Nash, M.S. Strom, R. N. Iwamoto, and C. V.W. Mahnken. 2000. Ecological and behavioral impacts of artificial production strategies on the abundance of wild salmon populations: a review of practices in the Pacific Northwest. NOAA Technical

- Memorandum NMFS-NWFSC-41. National Marine Fisheries Service Northwest Fisheries Science Center. Seattle, WA. 92pp.
- Fraley, J.J., and B.B. Shepard. 1989. Life history, ecology and population status of migratory bull trout (*Salvelinus confluentus*) in the Flathead Lake and River system, Montana. *Northwest Science* 63(4): 133-143.
- GeoEngineers 2001 [sec 4.1] - GeoEngineers. 2001. North Fork Nooksack River Corridor Analysis. Prepared for Washington State Department of Transportation. June 22, 2001. Bellingham, WA.
- Glesne, R. 1993. Dolly Varden/bull trout and brook trout records for North Cascades National Park Complex. North Cascades National Park. Sedro-Woolley, WA.
- Glova, G.J., and M.J. Duncan. 1985. Potential effects of reduced flows on fish habitats in a large braided river, New Zealand. *Transactions of the American Fisheries Society*. 114: 165-181.
- Goetz, F. 1989. Biology of the bull trout, *Salvelinus confluentus*, a literature review. Willamette National Forest. Eugene, Oregon.
- Godin, J-G. J. 1982. Migrations of salmonid fishes during early life history phases: daily and annual timing. Pages 22-50 in E.L. Brannon and E.O. Salo (editors). Salmon and Trout Migratory Behavior Symposium. June 1981.
- Goetz, F.A. 1994. Distribution and juvenile ecology of bull trout (*Salvelinus confluentus*) in the Cascade Mountains. M.S. Thesis, Oregon State University. Corvallis, Oregon. 173 pp.
- Gowan, M. 1989. Boulder Creek flood potential. Technical report WA-RD 207.2. Washington State Department of Transportation. Olympia, Washington.
- Haas, G.R., and J.D. McPhail. 1991. Systematics and distributions of Dolly Varden (*Salvelinus malma*) and bull trout (*Salvelinus confluentus*) in North America. *Canadian Journal of Fisheries and Aquatic Sciences* 48:2191-2211.
- Haas, G.R., and J.D. McPhail. 2001. Errors in and problems with the identification of bull trout and Dolly Varden. Pages 75-76 in M.K. Brewin, A.J. Paul, and M. Monita, editors. Bull trout II conference proceedings. Trout Unlimited Canada. Calgary, Alberta.
- Harr, R.D., W.C. Harper, J.T. Krygier, and F.S. Hsieh. 1975. Changes in storm hydrographs after road building and clear-cutting in the Oregon Coast Range. *Water Resources Research* 11(3): 436-444.

Hayman, R.A., E.M. Beamer, and R.E. McClure. 1996. FY 1995 Skagit River Chinook Restoration Research. Chinook Restoration Research Progress Report No. 1. August 1996. Skagit System Cooperative. La Conner, WA.

Healey, M.C. 1982. Juvenile pacific salmon in estuaries: the life support system. Pages 315-341 in V.S. Kennedy (editor). *Estuarine Comparisons*. Academic Press, New York, NY.

Healey, M.C. 1991. Life history of chinook salmon. Pages 311-393 in C. Groot and L. Margolis, editors. *Pacific salmon life histories*. UBC Press, Vancouver, British Columbia, Canada.

Hicks, M. 2000. Evaluating Standards for Protecting Aquatic Life In Washington's Surface Water Quality Standards: Temperature Criteria. Preliminary Review Draft Discussion Paper. Washington State Department of Ecology, Water Quality Program, Watershed Management Section. Olympia, Washington.

Hillman, T.W., J.S. Griffith, and W.S. Platts. 1987. Summer and winter habitat selection by juvenile chinook salmon in a highly sedimented Idaho stream. *Transactions of the American Fisheries Society* **116**: 185-195

Hoelscher, B., and T.C. Bjornn. 1989. Habitat, density, and potential production of trout and char in Pend Oreille Lake tributaries. Project F-710R-10, Subproject III, Job No. 8. Idaho Department of Fish and Game. Boise, Idaho.

HSRG (Hatchery Scientific Review Group). 2003. Hatchery reform recommendations for the Puget Sound and Coastal Washington Hatchery Reform Project: Skagit River Basin, Nooksack and Samish Rivers, Central Puget Sound. March 2003. Long Live the Kings, Seattle WA. 206 pp.

Huddle, D. 1995. Internal memorandum on native char and redd observations through 1994. February 2, 1995. Washington Department of Fish and Wildlife. LaConner, WA.

Hyatt, T.L., and A.D. Rabang. 2003. Nooksack Chinook Spawning and Incubation Assessment. December 31, 2003. Nooksack Indian Tribe, Natural Resources Department, Deming, WA.

IHOT (Integrated hatchery Operations Team) 1995. Policies and Procedures for Columbia Basin Anadromous Salmonid Hatcheries. 1994 Annual Report. Bonneville Power Administration. Portland OR.

Indrebo, M. 1998. Stream channel classification and historical channel changes along the North Fork, Nooksack River, Washington. Prepared for the Lummi Natural Resources Department, Bellingham, WA. 47 pp.

Johnston, J. 2000. Internal Washington Department of Fish and Wildlife letter, regarding Boulder Creek and char use. August 2, 2000. Washington Department of Fish and Wildlife.

Jones, J.A. and G.E. Grant. 1996. Peak flow responses to clear-cutting and roads in small and large basins, western Cascades, Oregon. *Water Resources Research* 32: 959-974.

*Kirtland, J.A. 1995. Sediment production from the upper South Fork Nooksack River, North Cascades, Washington. Unpublished M.S. thesis. Western Washington University, Bellingham, WA. 149pp. including appendices.*

Kopp, R. 2004. Nooksack Watershed Water Temperature Report: An Assessment of Surface Water Temperatures. August 2004. Nooksack Indian Tribe, Natural Resource Department, Deming, WA.

Kopp, R. 2005. 106 CWA Nooksack Watershed Water Quality Baseline. February 2005. Nooksack Indian Tribe, Natural Resources Department, Deming, WA.

Kraemer, C. 1994. Some observations on the life history and behavior of the native char, Dolly Varden (*Salvelinus malma*) and bull trout (*Salvelinus confluentus*) of the North Puget Sound Region. Draft report. Washington Department of Wildlife.

Kraemer, C. 2003. Management Brief: Lower Skagit bull trout, age and growth information developed from scales collected from anadromous and fluvial char. January 2003. Washington Department of Fish and Wildlife.

Leary, R.F., and F.W. Allendorf. 1997. Genetic confirmation of sympatric bull trout and Dolly Varden in western Washington. *Transactions of the American Fisheries Society* 126:715-720.

Lestelle, L.C., L.E. Mobrand, and W.E. McConnaha. 2004. Information structure of Ecosystem Diagnosis and Treatment (EDT) and habitat rating rules for chinook salmon, coho salmon, and steelhead trout. Mobrand Biometrics, Vashon Island, WA.

Levings, C.D. 1980. Consequences of training walls and jetties for aquatic habitats at two British Columbia estuaries. *Coastal Engineering* 4: 111-136.

Levings, C.D., and R.B. Lauzier. 1991. Extensive use of the Fraser River basin as winter habitat by juvenile chinook salmon (*Oncorhynchus tshawytscha*). *Canadian Journal of Zoology* 69: 1759-1767.

Levy, D.A., and T.G. Northcote. 1981. The distribution and abundance of juvenile salmon in marsh habitats of the Fraser River estuary. Tech. Rep. 25, 117pp. Westwater Research Centre, Univ. British Columbia, Vancouver, Canada.

Lister, D.B., and H.S. Genoe. 1970. Stream habitat utilization by cohabiting underyearlings of chinook (*Oncorhynchus tshawytscha*) and coho (*O. kisutch*) salmon in the Big Qualicum River, British Columbia. *Journal of the Fisheries Research Board of Canada* 27: 1215-1224.

LLTK (Long Live the Kings). 2003. Endangered Species Act Handbook: for Local Governments in Western Washington. <http://www.lltk.org/publications.html>.

Marshall, A.R., C. Smith, R. Brix, W. Dammers, J. Hymer and L. LaVoy. 1995. Genetic diversity units and major ancestral lineages for chinook salmon in Washington. Washington Department of Fish and Wildlife. Fish Management Program. Resource Assessment Division. Olympia, WA.

M.A. Whelen and Associates Ltd and TSSHRC (The Steelhead Society Habitat Restoration Corporation). 1996. Chilliwack watershed stream inventory and level 1 fish habitat assessment, late summer 1995. November 1996. Prepared for Ministry of Environment Lands and Parks, Lower Mainland, Region 2, Surrey, British Columbia.

Matthews, R.A., M. Hilles, J. Vandersypen, R.J. Mitchell, and G.B. Matthews. 2001. Lake Whatcom monitoring project, 1999/2000 final report. City of Bellingham Public Works. Bellingham, Washington. 246 pp.

Maudlin, M., T. Coe, N. Currence, and J. Hansen. 2002. South Fork Nooksack River Acme-Saxon Reach Restoration Planning: Analysis of Existing Information and Preliminary Recommendations. November 26, 2002. Lummi Natural Resources, Bellingham, WA, and Nooksack Natural Resources, Deming, WA.

MBTSG (The Montana Bull Trout Scientific Group). 1996. Assessment of methods for removal of suppression of introduced fish to aid in bull trout recovery. March 1996. Prepared for the Montana Bull Trout Restoration Team. Montana Fish, Wildlife, and Parks. Helena, MT.

McElhany, P., M.H. Ruckelshaus, M.J. Ford, T.C. Wainwright, and E.P. Bjorkstedt. 2000. Viable salmonid populations and the recovery of evolutionarily significant units. U.S.

Dept. Commerce, NOAA Technical Memo. NMFS-NWFSC-42, 156 p.  
<http://www.nwfsc.noaa.gov/publications/techmemos/tm42/tm42.pdf>.

McNeil, W.J. 2001. Intertidal and estuarine habitat preferences by underyearling chum and chinook salmon with emphasis on Tillamook Bay populations. July 2001. Report to Tillamook Flood Mitigation Group, Tillamook, OR. 8 pp.

McPhail, J.D., and E.B. Taylor. 1995. Final report to Skagit Environmental Endowment Commission. Skagit Char Project (project 94-1). Dept of Zoology, University of British Columbia. Vancouver, British Columbia..

Mongillo, P.E., and M. Hallock. 1993. Native trout and char investigations. Federal Aid project F-107-R, Segment 1. Washington Department of Wildlife. Olympia, Washington.

Montgomery, D.R., G. Pess, E.M. Beamer, and T.P. Quinn. 1999. Channel type and salmonid spawning distributions and abundance. *Canadian Journal of Fisheries and Aquatic Sciences* 56: 377-387.

Morgan, A., and F. Hinojosa. 1996. Literature review and monitoring recommendations for salmonid winter habitat. TFW-AM-9-96-004. May 1996. TFW Ambient Monitoring Program. Olympia, WA.

Morse, E. 1883. *Morse's Monthly: A Puget Sound Magazine for the People of the Northwest* 1: 1-14. Snohomish City, Washington Territory.

Murray, C.B., and M.L. Rosenau. 1989. Rearing of juvenile Chinook salmon in nonnatal tributaries of the Lower Fraser River, British Columbia. *Transactions of the American Fisheries Society* 118: 284-289.

Myers, K. W. 1980. An investigation of the utilization of four study areas in Yaquina Bay, Oregon, by hatchery and wild juvenile salmonids. M.S. Thesis, Oregon State University, Corvallis, OR.. 233p.

Myers, J.M., R.G. Kope, G.J. Bryant, D. Teel, L.J. Lierheimer, T.C. Wainwright, W.S. Grant, F.W. Waknitz, K. Neely, S.T. Lindley, and R.S. Waples. 1998. Status Review of Chinook Salmon from Washington, Idaho, Oregon, and California. U.S. Department of Commerce, NOAA Technical Memorandum NMFS-NWFSC-35. 443pp.

Naef, V. 2002. Saxon to Acme reach assessment, fish utilization study: third quarter 2001 report. February 2002. Lummi Natural Resources, Resource Protection Division. Bellingham, WA.

- Naiman, R.J., T.J. Beechie, L.E. Benda, D.R. Berg, P.A. Bisson, L.H. MacDonald, M.D. O'Connor, P.L. Olson, and E.A. Steel. 1992. Fundamental elements of ecologically healthy watersheds in the Pacific Northwest Coastal Ecoregion. Pages 127-188 in R.J. Naiman (ed.). *Watershed management: balancing sustainability and environmental change*. Springer-Verlag, New York.
- Neff, D.A. 1993. A comparison of temperature, dissolved oxygen, and turbidity measurements in the upper watershed of the Nooksack River to Washington State water quality standards. Technical Report #93-02. March 29, 1993. Lummi Natural Resources. Bellingham, Washington. 11 pp.
- Nehlsen, W., J.E. Williams, and J.A. Lichatowich. 1991. Pacific Salmon at the Crossroads: Stocks at Risk from California, Oregon, Idaho, and Washington. *Fisheries* 16(2): 4-20.
- Nelson, T., L. Adkins, J. Heller, B. McIntosh, and T. Granger. 1991. Drayton Harbor Watershed, Whatcom County, Washington. Whatcom County Council of Governments, Bellingham, Washington.
- Nelson, T.C., and P.A. Caverhill. 1999. Chilliwack Lake char angler survey 1998. LGL Limited Environmental Research Associates report to B.C. Ministry of Environment, Lands and Parks, Lower Mainland Region, Fish and Wildlife Management. Surrey, British Columbia.
- NMFS (National Marine Fisheries Service). 1996. Making Endangered Species Act Determinations of Effect for Individual or Grouped Actions at the Watershed Scale. August 1996. National Marine Fisheries Service, Environmental and Technical Services Division, Habitat Conservation Branch.  
[http://www.nwr.noaa.gov/1habcon/habweb/habguide/matrix\\_1996.pdf](http://www.nwr.noaa.gov/1habcon/habweb/habguide/matrix_1996.pdf).
- NMFS (National Marine Fisheries Service). 1999. The Habitat Approach: Implementation of Section 7 of the Endangered Species Act for Actions Affecting the Habitat of Pacific Anadromous Salmonids. 26 August 1999. National Marine Fisheries Service, Habitat Conservation and Protected Resources Divisions.  
[http://www.nwr.noaa.gov/1habcon/habweb/habguide/habitatapproach\\_081999.pdf](http://www.nwr.noaa.gov/1habcon/habweb/habguide/habitatapproach_081999.pdf).
- NMFS (National Marine Fisheries Service). 2003. Endangered Species Act Status Reviews And Listing Information. National Marine Fisheries Service, Northwest Region, Seattle, WA. Retrieved August 19, 2003, from  
<http://www.nwr.noaa.gov/1salmon/salmesa/>.
- NNR (Nooksack Tribe Natural Resources Department). In prep. South Fork Nooksack River, Acme-Confluence Reach Restoration Planning: Analysis of Existing Information

and Preliminary Restoration Strategies. Nooksack Indian Tribe, Natural Resources Department. Deming, WA.

NOAA Fisheries. 2003. U.S. District Court approves a NMFS consent decree withdrawing critical habitat designations for 19 evolutionarily significant units of salmon and steelhead. Downloaded 09/15/03.

<http://www.nwr.noaa.gov/1press/CHdecree.html>

Norecol, Dames and Moore, Inc. 1999. Final report: Environmental assessment report, Sumas Energy 2, Inc. 230 kV electric transmission line, Sumas, Washington to BC Hydro's Clayburn Substation, Abbotsford, B.C. June 30, 1999. Prepared for Sumas Energy 2, Inc., Kirkland Washington. Project No. 40992-004-310.

Norgore, M., and A.W. Anderson. 1921. Report on a biological survey of the Nooksak (sic) River during the summer of 1921. University of Washington. Seattle, WA.

NWIFC (Northwest Indian Fisheries Commission). 2004. WRIA 1 Salmonid Distribution. March 2004. GIS shape files. NWIFC North Sound Office, Mt. Vernon, WA.

NWIFC (Northwest Indian Fish Commission) and WDFW (Washington Department of Fish and Wildlife). 1998. Salmonid disease control policy of the fisheries co-managers of Washington State. Revisions effective Mar. 17, 1998.

*Osbaldiston, R. 1995. Inventory of mass wasting units and river tributaries along the South Fork of the Nooksack River. Report of summer intern prepared for Crown Pacific. Hamilton, Washington. Text, data sheets, and color plates.*

Pautzke, C.F. 1943. Nooksack River System (description of basin by chief biologist). Washington Department of Game. Olympia, Washington.

Peak Northwest, Inc. 1986. Nooksack River Basin erosion and fisheries study. Prepared for Washington State Department of Ecology, Olympia, Washington.

People for Puget Sound. 1997. The loss of habitat in Puget Sound.

<Http://www.pugetsound.org/habitat/reportfolder/default.html>

Pess G.R., T.B. Abbe, T. Drury and D.R. Montgomery. 1998. Biological monitoring of the response to engineered log jams in the North Fork Stillaguamish River, Washington State, USA H32A-19. From poster session at American Geophysical Union Meeting in San Francisco, CA December 4-7, 1998.

Peters, R.J., B. R. Missildine, and D.L. Low. 1998. Seasonal Fish Densities Near River Banks Stabilized with Various Stabilization Methods. First Year Report of the Flood Technical Assistance Project. U.S. Fish and Wildlife Service, North Pacific Coast Ecoregion, Western Washington Office, Aquatic Resources Division, Lacey, WA. 34pp.

Peterson, N.P.; A. Hendry, T.P Quinn. 1992. Assessment of cumulative effects on Salmonid habitat: Some suggested parameters and target conditions. TFW-F3-92-001. Olympia, WA. Timber Fish and Wildlife. 75pp.

Phinney, D. and Williams. 1975. A catalog of Washington streams and salmon utilization. Vol. 1 Puget Sound. Washington Department of Fisheries, Olympia, Washington.

Poole, G.C., and C.H. Berman. 2000. Pathways of human influence on water temperature dynamics in stream channels. Submitted to *Environmental Management*.

Pratt, K.L. 1985. Habitat use and species interactions of juvenile cutthroat, *Salmo clarki*, and bull trout, *Salvelinus confluentus*, in the upper Flathead River basin. M.S. Thesis, University of Idaho, Moscow.

Pratt, K.L. 1992. A review of bull trout life history. Pages 5-9. In Howell, P.J. and D.V. Buchanan, editors. Proceedings of the Gearhart Mountain bull trout workshop. Oregon Chapter of the American Fisheries Society. Corvallis, Oregon.

PSIT (Puget Sound Indian Tribes) and WDFW (Washington Department of Fish and Wildlife). 2004. Comprehensive Management Plan for Puget Sound Chinook, Harvest Management Component.

PSRUT (Puget Sound Bull Trout Recovery Unit Team). 2002. Interim Guidance for Protecting and Restoring Bull Trout Habitat in Watershed-Based Recovery Planning in the Coastal-Puget Sound Distinct Population Segment. November 27, 2002 Draft. Shared Strategy, Seattle, WA.  
<http://www.sharedsalmonstrategy.org/files/PSRUTguidancedoc.pdf>.

PSSMP (Puget Sound Salmon Management Plan). 1985. United States vs. Washington (1606 F. Supp.1405).

PSTRT (Puget Sound Technical Recovery Team). 2001. Independent populations of chinook salmon in Puget Sound. April 11, 2001, Puget Sound TRT public review draft. NOAA Fisheries, National Marine Fisheries Service, Northwest Fisheries Science Center. Seattle, WA.

- PSTRT (Puget Sound Technical Recovery Team). 2002. Planning Ranges and Preliminary Guidelines for the Delisting and Recovery of the Puget Sound Chinook Salmon Evolutionarily Significant Unit. April 30, 2002, draft. NOAA Fisheries, National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, WA. <http://www.nwfsc.noaa.gov/trt/trtpopESU.pdf>.
- PSTRT (Puget Sound Technical Recovery Team) 2003. Abundance and productivity data tables summarizing key biological and life history data for the North Fork Nooksack early chinook population and the South Fork early chinook population. Excel workbook. November 11, 2003. NOAA Fisheries, Northwest Region, Seattle, Washington.
- PSTRT (Puget Sound Technical Recovery Team). 2004. Independent Populations of Chinook salmon in Puget Sound. Final draft. Jan. 18, 2004. NOAA Fisheries, Northwest Region, Seattle, Washington. 60 pp., plus appendices.
- Rich, C.F., Jr. 1996. Influence of abiotic and biotic factors on occurrence of resident bull trout in fragmented habitats, western Montana. M.S. thesis, Montana State University, Bozeman, Montana.
- Rieman, B.E., and J.D. McIntyre. 1993. Demographic and habitat requirements for conservation of bull trout. U.S. Forest Service, Intermountain Research Station. General Technical Report INT-302.
- Rieman, B.E., and J.D. McIntyre. 1995. Occurrence of bull trout in naturally fragmented habitat patches of varied size. *Transactions of the American Fisheries Society* 124: 285-296.
- Rieman, B.E., D.C. Lee, and R.F. Thurow. 1997. Distribution, status and likely future trends of bull trout within the Columbia River and Klamath River basins. *North American Journal of Fisheries Management* 17:1111-1125.
- Robins, C.R., R.M. Bailey, C.E. Bond, J.R. Brooker, E.H. Lachner, R.N. Lea and W.B. Scott. 1980. A list of common and scientific names of fishes from the United States and Canada. *American Fisheries Society Special Publication* 12. Bethesda, Maryland.
- Roper, B.B., D.L. Scarnecchia, and T.J. LaMarr. 1994. Summer distribution of and habitat use by chinook salmon and steelhead within a major basin of the South Umpqua River, OR. *Transactions of the American Fisheries Society* 123: 298-308.
- Schmetterling, D.A., C.G. Clancy, and T.M. Brandt. 2001. Effects of riprap bank reinforcement on stream salmonids in the western United States. *Fisheries* 26(7): 6-13.

- Schuett-Hames, J. and D. Schuett-Hames. 1984. Spawning gravel fine sediment levels and stream channel stability ratings for salmonid streams in the Nooksack Basin, Washington, 1982 and 1983. Lummi Tribal Fisheries Department, Bellingham, Washington. 26 pp.
- Schuett-Hames, D., and J. Schuett-Hames. 1987. North Fork Nooksack spring chinook surveys: 1986 survey results; a historical count review; and habitat observations. March 1987. U.S. Fish and Wildlife Service, Fisheries Assistance Office, Olympia, WA, and Lummi Tribal Fisheries Department, Bellingham, WA.
- Schuett-Hames, D, J. Schuett-Hames, and P. Stevenson. 1988a. North Fork Nooksack spring chinook surveys: 1987 survey and redd survival results. U.S. Fish and Wildlife Service, Olympia, Washington. 6 pp.
- Schuett-Hames, D., J. Schuett-Hames, M. MacKay, K. Doughty, and P. Wampler. 1988b. An assessment of the availability and quality of spring chinook holding and spawning habitat in the South Fork Nooksack River, 1986. Lummi Tribal Fisheries Department, Bellingham, WA.
- Schuett-Hames, D.E., J.P. Schuett-Hames, and D. Mike. 1988c. Nooksack Basin and Associated Drainages: Stream Monitoring Data - 1982 to 1987. Natural Production Technical Report 88-2, March 1988. Lummi Tribal Fisheries Department, Bellingham WA.
- Scott, G.R. and J.D. McDowell. 1994. Whatcom County comprehensive plan: environmental impact statement, existing conditions report. Whatcom County Planning and Development Services Dept. Bellingham, Washington. 136 pp.
- Sedell, J.R., and F.H. Everest. 1991. Historic changes in pool habitat for Columbia River Basin salmon under study for TES listing. Draft U.S. Department of Agriculture Report, Pacific Northwest Research Station. Corvallis, Oregon.
- Sedell, J.R., and K.J. Luchessa. 1982. Using the historical record as an aid to salmonid habitat enhancement. Pages 210-223 *in* N.B. Armentrout (ed.). Acquisition and Utilization of Aquatic Habitat Inventory Information. American Fisheries Society. Bethesda, Maryland.
- Sedell, J., and C. Maser. 1994. From the forest to the sea: the ecology of wood in streams, rivers, estuaries, and oceans. St. Lucia Press, Delray Beach, FL. 200 pp.
- Sexauer, H.M., and P.W. James. 1997. Microhabitat use by juvenile trout in four streams located in the eastern Cascades, Washington. Pages 361-370 *in* W.C. MacKay,

M.K. Brewin, and M. Monita, editors. Friends of the Bull Trout Conference Proceedings. Bull Trout Task Force (Alberta), c/o Trout Unlimited Calgary, Alberta, Canada.

Shared Strategy. 2001. Plan for Recovery of Puget Sound Salmon. Draft Outline. June 29, 2001. Shared Strategy, Seattle, WA.

[http://www.sharedsalmonstrategy.org/files/June29\\_Draft\\_RecoveryPlan.pdf](http://www.sharedsalmonstrategy.org/files/June29_Draft_RecoveryPlan.pdf).

Shared Strategy. 2002. Shared Strategy: A 5-step voluntary & collaborative process to develop a recovery plan for salmon in Puget Sound: Chinook Planning Targets and Ranges. May 8, 2002. Shared Strategy, Seattle, WA.

[http://www.sharedsalmonstrategy.org/files/RecoveryGoals\\_Targets\\_050802v2.pdf](http://www.sharedsalmonstrategy.org/files/RecoveryGoals_Targets_050802v2.pdf).

Shared Strategy. 2003. About Shared Strategy. Downloaded 08/20/03 from <http://www.sharedsalmonstrategy.org/about.htm>. Shared Strategy for Puget Sound, Seattle, WA.

Sheldon, D., T. Hrubby, P. Johnson, K. Harper, A. McMillan, S. Stanley, and E. Stockdale. 2003. Freshwater Wetlands in Washington State. Volume 1: A Synthesis of the Science. August 2003 Draft. DOE Publication # 03-06-016. Washington State Department of Ecology, Washington Department of Fish and Wildlife, and Environmental Protection Agency. <http://www.ecy.wa.gov/biblio/0306016.html>.

Simenstad, C.A., and K.L. Fresh. 1995. Influence of intertidal aquaculture on benthic communities in Pacific Northwest Estuaries: Scales of disturbance. *Estuaries* 18(1A): 43-70.

Small, M.P. 2003. A Genetic Comparison of Wild-Spawning and Hatchery-Strain Coho Salmon in the Nooksack and Samish Rivers. Final report to U.S. Forest Service, Mt. Baker-Snoqualmie National Forest. February 18, 2003. Washington Department of Fish and Wildlife, Genetics Laboratory, Olympia, WA.

Smith, C. 2002. Salmon and Steelhead Habitat Limiting Factors in WRIA 1, the Nooksack Basin. July, 2002. Washington State Conservation Commission. Lacey, WA.

Soicher, A. 2000. Acme Watershed Water Quality Monitoring Project Phase I: 1998-1999. Report to Whatcom Conservation District. Final Report. September 1, 2000. Evergreen Land Trust. Van Zandt, WA.

Spence, B. C., G. A. Lomnicky, R. M. Hughes, and R. P. Novitzki. 1996. An Ecosystem Approach to Salmonid Conservation. TR-4501-96-6057. ManTech Environmental Research Services Corp., Corvallis, OR.

<http://www.nwr.noaa.gov/1habcon/habweb/habguide/ManTech/front.htm>

Spruell, P., and A.N. Maxwell. 2002. Genetic Analysis of Bull Trout and Dolly Varden in Washington. Report to the U.S. Fish and Wildlife Service and the Washington Department of Fish and Wildlife. Wild Trout and Salmon Genetics Lab, University of Montana. Missoula, Montana.

STS Heislars Creek Hydro L.P. 1994. Heislars Creek hydroelectric project, draft application for license, FERC project no. 11389. Vols. 1 and 2. March 1994.

Swales, S., R.B. Lauzier, and C.D. Levings. 1986. Winter habitat preferences of juvenile salmonids in two interior rivers in British Columbia. *Canadian Journal of Zoology* 64:1506-1514.

Swanson, F.J., R.L. Fredriksen, and F.M. McCorison. 1982. Material transfer in a western Oregon forested watershed. Pages 233-266 in R.L. Edmonds (editor). Analysis of coniferous forest ecosystems in the western United States. Hutchinson Ross Publication Co. Stroudsburg, PA.

SWIG (Species Interaction Workgroup). 1984. Evaluation of potential interaction effects in the planning and selection of salmonid enhancement projects. J. Rensel, chairman, and K. Fresh, editor. Report prepared for the Enhancement Planning Team for implementation of the Salmon and Steelhead Conservation and Enhancement Act of 1980. Washington Department of Fisheries. Olympia, WA. 80 pp.

Teskey, J. 1986. Letter to Brady Green, U.S. Forest Service, Mt Baker Ranger District, providing fish and wildlife resource information on Tamihi Creek. May 5, 1986. B.C. Ministry of Environment, Fish and Wildlife Management.

Thom, R.M., D.K. Shreffler, and K. MacDonald. 1994. Shoreline armoring effects on coastal ecology and biological resources in Puget Sound, Washington. Washington Department of Ecology, Coastal Erosion Management Studies, Vol. 7, Report 94-80. Lacey, WA.

Thomas, G. 1992. Status of bull trout in Montana. Report prepared for Montana Department of Fish, Wildlife, and Parks. Helena, Montana.

URS Corporation. 2001. Whatcom County Endangered Species Act Evaluation Report. April 2001. Prepared for Whatcom County, Department of Public Works, Bellingham, WA.

USFWS (U.S. Fish and Wildlife Service). 1998. A Framework to Assist in Making Endangered Species Act Determinations of Effect for Individual or Grouped Actions at the Bull Trout Subpopulation Watershed Scale. February 1998.

USFWS (U.S. Fish and Wildlife Service). 2004. Draft Recovery Plan for the Coastal-Puget Sound Distinct Population Segment of Bull Trout (*Salvelinus confluentus*). Volume I (of II): Puget Sound Management Unit (Including the Chilliwack River and associated tributaries flowing into British Columbia, Canada). May 2004. U.S. Fish and Wildlife Service Region 1. Portland, Oregon. 389 pp.

[http://pacific.fws.gov/bulltrout/jcs/vol\\_I.html](http://pacific.fws.gov/bulltrout/jcs/vol_I.html).

U.S. Forest Service. 1995a. North Fork Nooksack River Watershed Analysis. Mount Baker Ranger District, Sedro Woolley, Washington.

U.S. Forest Service. 1995b. Pilot watershed analysis for the Canyon Creek watershed. Mt. Baker-Snoqualmie Forest, Mount Baker Ranger District, Sedro Woolley, Washington. 276 pp.

USGS (United States Geological Survey). 2001. Nooksack River Basin temperature sites. <http://wa.water.usgs.gov>

Vander Haegen, G., and D. Doty. 1995. Homing of coho and fall chinook salmon in Washington. Report # H95-08. Washington Department of Fish and Wildlife. 68 pp.

Wahl, T. 2004. Shoreline development in Bellingham Bay. Technical report to Lummi Nation Natural Resources Department. Bellingham, WA.

Waldichuk, M. 1993. Fish habitat and the impact of human activity with particular reference to Pacific salmon. Pages 295-337 in L.S. Parsons and W.H. Lear, eds. Perspectives on Canadian marine fisheries management. *Canadian Bulletin of Fisheries and Aquatic Sciences* 226.

Watson, G., and T.W. Hillman. 1997. Factors affecting the distribution and abundance of bull trout: an investigation at hierarchical scales. *North American Journal of Fisheries Management* 17:237-252.

Watts, W.M. 1996. Upslope erosion assessment for: South Fork Nooksack River watershed- Skookum Creek to Howard Creek, Howard Creek watershed, Hutchinson Creek watershed. Lummi Natural Resources Department. Bellingham, Washington. 26 pp.

Watts, W.M. 1997. North Fork Nooksack River watershed: preliminary upslope erosion assessment. Lummi Natural Resources Department. Bellingham, Washington. 26 pp.

Watts, W.M. 1998. Middle Fork Nooksack River watershed: preliminary upslope erosion and channel assessment. Prepared for Lummi Natural Resources Department. Bellingham, Washington. 31 pp.

WDF (Washington Department of Fisheries). 1939. Annual Bulletin No. 39. B.M. Brennan, Director of Fisheries. Dec. 1939.

WDF (Washington Department of Fisheries) 1941. Annual Bulletin No. 41. F. J. Foster, Director of Fisheries. Dec. 1941.

WDF (Washington Department of Fisheries), Washington Department of Wildlife, and Western Washington Treaty Indian Tribes. 1993. 1992 Washington State Salmon and Steelhead Stock Inventory. March 1993. Olympia, WA.  
<http://www.wa.gov/wdfw/fish/sassi/sassi92.pdf>

WDFG (Washington Department of Fisheries and Game). 1904. 14<sup>th</sup> and 15<sup>th</sup> annual report of the State Fish Commissioner to the Governor of the State of Washington. Survey report prepared by John L. Riseland, Deputy State Fish Commissioner to T.R. Kershaw, Commissioner. Seattle, WA.

WDFG (Washington Department of Fisheries and Game) 1928. Thirty-sixth and thirty-seventh annual reports of State Department of Fisheries and Game, Division of Fisheries. Olympia, WA.

WDFG (Washington Department of Fisheries and Game). 1930. Thirty-eighth and thirty-ninth annual reports of State Department of Fisheries and Game, Division of Fisheries. For the period from April 1, 1927 to Mar. 31, 1929. C. R. Maybury, Director. Olympia, WA. .

WDFG (Washington Department of Fisheries and Game). 1932. Fortieth and forty-first annual reports of State Department of Fisheries and Game, Division of Fisheries, for the period from April 1, 1929 to Mar. 31, 1931. Charles R. Pollock, State Supervisor of Fisheries. Olympia, WA. .

WDFG (Washington Department of Fisheries and Game). 1948. The fisheries resources of the Nooksack River. Unpublished report.

WDFW (Washington Department of Fish and Wildlife). 1998. 1998 Washington State Salmonid Stock Inventory (SASI): Bull Trout/Dolly Varden. Washington Department of Fish and Wildlife, Olympia, WA. <http://www.wa.gov/wdfw/fish/sassi/bulldolly.pdf>

WDFW (Washington Department of Fish and Wildlife). 2002a. Salmonid Stock Inventory (SaSI). Olympia, WA. <http://wdfw.wa.gov/fish/sasi/>

WDFW (Washington Department of Fish and Wildlife) 2002b. Protocols and guidelines for distributing salmonid carcasses, salmon carcass analogs, and delayed release fertilizers to enhance stream productivity in Washington State. Habitat Program, Washington Department of Fish and Wildlife, Olympia, WA.

[http://wdfw.wa.gov/hab/ahg/shrg\\_t11.pdf](http://wdfw.wa.gov/hab/ahg/shrg_t11.pdf)

WDFW (Washington Department of Fish and Wildlife). 2002c. Hatchery and Genetic Management Plan: North Fork Nooksack Native Chinook Restoration Program (Kendall Creek Hatchery). <http://wdfw.wa.gov/hat/hgmp/>

WDFW (Washington Department of Fish and Wildlife) and PSTT (Puget Sound Treaty Tribes). 2004. Puget Sound Chinook salmon hatcheries: a component of the Comprehensive chinook salmon management plan. Mar. 31, 1004.

WDFW, WDOE, and WSDOT. 2003. Integrated Streambank Protection Guidelines. Washington State Aquatic Habitat Guidelines Program. April 2003. Olympia, WA.

<http://wdfw.wa.gov/hab/ahg/ispgdoc.htm>

WDFW (Washington Department of Fish and Wildlife) and WWTT (Western Washington Treaty Tribes). 1997. Policy of Washington Department of Fish and Wildlife and Western Washington Treaty Tribes Concerning Wild Salmonids. Adopted by Washington Fish and Wildlife Commission December 5, 1997. WDFW Fish Management Program, Olympia, WA. 46pp.

Weitkamp, L.A., T.C. Wainwright, G.J. Bryant, G.B. Milner, D.J. Teel, R.G. Kope, and R.S. Waples. 1995. Status Review of Coho Salmon from Washington, Oregon, and California. NOAA Technical Memorandum NMFS-NWFSC-24. September 1995. National Marine Fisheries Service, Northwest Fisheries Science Center, Coastal Zone and Estuarine Studies Division, Seattle, WA; National Marine Fisheries Service, Southwest Region, Protected Species Management Division, Long Beach, CA.

<http://www.nwfsc.noaa.gov/publications/techmemos/tm24/coho.pdf>.

Whatcom DPW (Department of Public Works). 1999. Lower Nooksack River Comprehensive Flood Management Plan. September 1999 Draft Report to Whatcom County Flood Control Zone District. Bellingham, WA.

Withler, R. E. 1997. Conclusions of Panel *in* Genetic effects of straying of non-native hatchery fish into natural populations: Proceedings of the workshop. W.S. Grant, editor. NOAA Technical Memorandum NMFS-NWFSC-30.

Wunderlich, R.C., and R. Boomer. 1983. Nooksack River Juvenile Spring Chinook Salmon Investigations. Fisheries Assistance Office, U.S. Fish and Wildlife Service, Olympia, WA.

Wunderlich, R.C., J.H. Meyer, and R.S. Boomer. 1982. Nooksack River Juvenile Spring Chinook Salmon Investigations. Fisheries Assistance Office, U.S. Fish and Wildlife Service, Olympia, WA. 61 pp.

Young, S. F., and J. B. Shaklee. 2002. DNA characterization of Nooksack River chinook salmon stocks and stock-of-origin assignments of outmigrating smolts. Genetic Laboratory, Washington Department of Fish and Wildlife. Olympia, WA. 33pp.

Zander, A.D. 1996. Road inventory for the South Fork Nooksack River watershed. Prepared for the Lummi Natural Resources Department, Bellingham, Washington. 54 pp.

Zander, A.D. 1997. Road inventory for the North Fork Nooksack River watershed. Prepared for the Lummi Natural Resources Department, Bellingham, Washington. 60 pp.

Zander, A.D. 1998. Road inventory and preliminary upslope erosion and channel assessment for the Middle Fork Nooksack River watershed. Prepared for the Lummi Natural Resources Department, Bellingham, Washington. 57 pp.

Zyskowski, S. 1991. Canyon Creek Fish Summary, and unpublished snorkel data for 1989 and 1990. June 3, 1991. U.S. Forest Service. Sedro-Woolley, WA.